

B & L Tetlow Pty Ltd

ABN 71 005 056 066


12 George Street, Blackburn 3130 Victoria Australia
 Telephone: (03) 9877 4188 Fax: (03) 9894 1974
 Telephone: + 61 3 9877 4188 Fax: + 61 3 9894 1974
 E-MAIL: info@tetlow.com.au WEBSITE:www.tetlow.com.au

- Furnaces
- Electric in air to 2000°C
- Vacuum
- Heat Treatment
- Controlled Atmosphere
- Melting
- Gas to 2300°C


LARGE KILN SIZES

FRONT LOADERS


MODEL	EXTERNAL DIMENSIONS			INTERNAL DIMENSIONS			DIMENSIONS PACKED			WEIGHT
	W	D	H	W	D	H	W	D	H	
K7 F/L	900	800	1690	460	460	460	965	890	1727	300kg
K8A F/L	1015	960	1690	570	570	460	1130	1042	1727	350kg
K8B F/L	955	800	1690	460	460	685	1190	890	1727	380kg
K9 F/L	900	800	1690	460	460	915	965	890	1727	420kg
K10 F/L	1050	995	1690	610	610	610	1180	1042	1727	440kg
K11 F/L	900	950	1690	460	610	915	965	1042	1727	480kg
K11A F/L	1050	995	1690	610	610	760	1180	1042	1727	500kg
K12 F/L	1050	995	1690	610	610	915	1180	1042	1727	520kg
K12A F/L	1200	1025	1885	610	610	1370	1117	1067	1930	580kg




MODELS: K8A F/L K10 F/L K11A F/L



MODELS: K7 F/L K9 F/L K11 F/L



MODEL: K8B F/L



MODEL: K12A F/L

B & L Tetlow Pty Ltd


ABN 71 005 056 066

12 George Street, Blackburn 3130 Victoria Australia
 Telephone : (03) 9877 4188 Fax : (03) 9894 1974
 Telephone + 61 3 9877 4188 Fax : + 61 3 9894 1974
 E-MAIL: info@tetlow.com.au WEBSITE:www.tetlow.com.au

- **Furnaces**
- **Electric in air to 2000°C**
- **Vacuum**
- **Heat Treatment**
- **Controlled Atmosphere**
- **Melting**
- **Gas to 2300°C**

TOP LOADERS

MODEL	EXTERNAL DIMENSIONS			NO2 DEPTH & HEIGHT		DIMENSIONS PACKED			WEIGHT
	W	D	H	2D	2H	W	D	H	
K7T/L	812	1092	965	1500	1220	864	1143	1092	360kg
K8T/L	812	1092	1118	1500	1372	864	1143	1245	410kg
K8AT/L	1295	1010	965	1610	1220	980	1245	1092	420kg
K9T/L	1473	890	965	1300	1220	1524	940	1092	460kg
K10 T/L	965	1042	1118	1650	1372	1016	1295	1245	500kg
K11 T/L	1473	1042	965	1500	1372	1524	1092	1092	520kg
K11A T/L	1320	1042	1118	1450	1372	1372	1092	1245	530kg
K12 T/L	1473	1042	1118	1450	1372	1524	1092	1245	560kg
K12A T/L	1950	1042	1118	1450	1372	2025	1092	1245	620kg



B & L Tetlow Pty Ltd

ABN 71 005 056 066

12 George Street, Blackburn 3130 Victoria Australia



Telephone : (03) 9877 4188 Fax : (03) 9894 1974

Telephone + 61 3 9877 4188 Fax : + 61 3 9894 1974

E-MAIL: info@tetlow.com.au WEBSITE:www.tetlow.com.au



- **Furnaces**
- **Electric in air to 2000°C**
- **Vacuum**
- **Heat Treatment**
- **Controlled Atmosphere**
- **Melting**
- **Gas to 2300°C**

SMALL KILN SIZES



MODELS:

ALL F/L
K2
K4
K4A
K4B
K6
K6GL
K7LW



MODELS:

ALL T/L
K5
K5A
K6

All dimensions are in millimeters

MODEL	W	D	H	PACKED			WEIGHT
				W	D	H	
K2 F/L	610	432	445	710	533	546	30 kg
K4 F/L	710	534	445	813	635	546	55 kg
K4A F/L	788	560	546	890	660	648	75 kg
K4B F/L	788	560	673	890	660	775	85 kg
K5 T/L	788	596	583	890	698	686	85 kg
K5A T/L	788	596	660	890	698	762	85 kg
K6 F/L	838	610	673	935	686	775	95 kg
K6 T/L	838	686	660	935	788	762	95 kg
K6 GL F/L	915	686	520	1016	788	520	95 kg